

UNITED STATES DEPARTMENT OF COMMERCE Patent and Trademark Office ASSIST ANT SECRETARY OF COMMERCE AND COMMISSIONER OF PATENTS AND TRADEMARKS P.O. Box 1450

Alexandria, VA 22313-1450

December 3, 2008

Elizabeth Robin Plumer Wolf, Greenfield & Sacks, P.C. 600 Atlantic Ave.

Boston MA 02210

Patent No. : 7,432,060 B2

Inventor(s) : Richard T. Lee Issued : October 7, 2008 For METHODS FOR DIAGNOSIS OF

CARDIOVASCULAR DISEASE

Doc No. B0801.70231US00

To Whom It May Concern:

The Certificate of Correction issued on <u>December 2, 2008</u>, issued in error, in that error(s) was made in identifying the patent number and/or keying text/corrections, i.e.:

Applicant submitted corrections on 1050 in claim and line number format. The cofe was issued in that format. The applicant notated that the error is in Claim 9, line 6, but the correction should be properly labeled under --Column 132, Claim 9, line 54--. Attorney submitted the 1050 form in improper format. A new certificate of correction will be issued listing the proper format Column and line number.

Therefore, a certificate of correction will be issued to correct (supersede) the Certificate of Correction containing error(s), made during preparation of the Certificate of Correction, as noted above.

No further response is required, from applicants (attorney). However, errors discovered by attorney, other than as noted and described above, should be noted on *a copy* of the Certificate of Correction that was issued in error, accompanied by a signed transmittal letter and submitted directed to this Branch.

Antonio Johnson (703) 308-9390 ext. 111 For Mary F. Diggs, Supervisor Decisions & Certificates of Correction Branch (703) 305-8309 / 703-308-9390 ext. 125